



OCCUPATIONAL HYGIENE AND ENVIRONMENTAL MONITORING LABORATORY

TEST REPORT

Site:

Whatley Quarry

Client:

Mr J Collis
Hanson Aggregates
Whatley Quarry
Nr Frome
Bath
Somerset
BA11 3LF

Job Number: 34846

Report Number: FD/ 17916 Report Date: 24/07/2020

Method N°. ENV/FD01: The determination of Fugitive Dust Based on BS 872: 2005 Method N°. ENV/FD05: The determination of reflectance values using a smoke stain

reflectometer

UKAS accredited tests are denoted by an asterisk(*)

SOCOTEC is not UKAS accredited for environmental dust gauge sampling.

The dust samples will be retained at the laboratory for a period of 6 months in case extended analysis is required in future. Liquids associated with dust samples are not normally retained at the laboratory.

Report Comment:

Approved by:

John Perry, Senior Analyst Environmental Laboratory Direct Dial: 01283 554488

SOCOTEC UK Limited
Reg office: SOCOTEC House, Bretby Business Park, Ashby Road,
Burton upon Trent, DE15 0YZ
Incorporated in England: 02880501



TEST REPORT



Report Number FD/ 17916 Job Number 34846 ID Number 179590

Site Description Whatley Quarry

Sample 4 - The Old School House

Date Received 10/07/2020 Sampling Period 11/06/2020 to 09/07/2020 28 Days

UKAS accredited tests are denoted by an asterisk(*)

Method ENV/FD01 Gauge Type Combined Frisbee deposit and Adh

* Dust mass (mg) 28 Deposition (mg.m⁻²d⁻¹) 25

Detection Limit (mg) 0.5 Date Tested 17/07/2020

Method ENV/FD05

Result Soiling LOD 1 Date Tested 22/07/2020

Test / Direction	Measured Value *	Units	Reported Result	
N	99	% reflectance	0.0	%EAC.d ⁻¹
NE	99	% reflectance	0.0	%EAC.d ⁻¹
E	99	% reflectance	0.0	%EAC.d ⁻¹
SE	99	% reflectance	0.0	%EAC.d ⁻¹
S	99	% reflectance	0.0	%EAC.d ⁻¹
SW	98	% reflectance	0.1	%EAC.d ⁻¹
W	99	% reflectance	0.0	%EAC.d ⁻¹
NW	99	% reflectance	0.0	%EAC.d ⁻¹



TEST REPORT



Report Number FD/ 17916 Job Number 34846 ID Number 179591

Site Description Whatley Quarry
Sample 8 - Whatley Cross

Date Received 10/07/2020 Sampling Period 11/06/2020 to 09/07/2020 28 Days

UKAS accredited tests are denoted by an asterisk(*)

Method ENV/FD01 Gauge Type Combined Frisbee deposit and Adh

* Dust mass (mg) 24 Deposition (mg.m⁻²d⁻¹) 22

Detection Limit (mg) 0.5 Date Tested 17/07/2020

Method ENV/FD05

Result Soiling LOD 1 Date Tested 22/07/2020

Test / Direction	Measured Value *	Units	Reported Result	
N	99	% reflectance	0.0	%EAC.d ⁻¹
NE	99	% reflectance	0.0	%EAC.d ⁻¹
E	99	% reflectance	0.0	%EAC.d ⁻¹
SE	100	% reflectance	0.0	%EAC.d ⁻¹
S	100	% reflectance	0.0	%EAC.d ⁻¹
SW	98	% reflectance	0.1	%EAC.d ⁻¹
W	99	% reflectance	0.0	%EAC.d ⁻¹
NW	99	% reflectance	0.0	%EAC.d ⁻¹