



OCCUPATIONAL HYGIENE AND ENVIRONMENTAL MONITORING LABORATORY TEST REPORT

Site:

Whatley Quarry

Client:

Mr J Collis Hanson Aggregates Whatley Quarry Nr Frome Bath Somerset BA11 3LF

Job Number: 34660

Report Number: FD/ 17767

Report Date: 01/06/2020

Method N°. ENV/FD01: The determination of Fugitive Dust Based on BS 872: 2005 Method N°. ENV/FD05: The determination of reflectance values using a smoke stain reflectometer

UKAS accredited tests are denoted by an asterisk(*)

SOCOTEC is not UKAS accredited for environmental dust gauge sampling.

The dust samples will be retained at the laboratory for a period of 6 months in case extended analysis is required in future. Liquids associated with dust samples are not normally retained at the laboratory.

Report Comment:

Approved by:

John Perry, Senior Analyst Environmental Laboratory Direct Dial: 01283 554488







Report Number FD	/ 17767		Job Number 3	34660	ID Number 178542
Site Description Wh	natley Quarry	y			
Sample 4 -	The Old Scl	hool House			
Date Received 15/	/05/2020	Sampling Period	16/04/2020	to 14/05/202	0 28 Days
UKAS accredited tests are denoted by an asterisk(*)					
Method ENV/FD01			Gauge Type	Combined F	risbee deposit and Adh
* Dust mass (mg)	18				
Deposition (mg.m ⁻² d ⁻	⁻¹) 16				
Detection Limit (mg)	0.5	Date Tested	20/05/2020		

Method ENV/FD05

Result Soiling

Date Tested 15/05/2020

Test / Direction	Measured Value *		Reported Result	
Ν	100	% reflectance	0.0	%EAC.d⁻¹
NE	100	% reflectance	0.0	%EAC.d⁻¹
E	99	% reflectance	0.0	%EAC.d⁻¹
SE	99	% reflectance	0.0	%EAC.d⁻¹
S	99	% reflectance	0.0	%EAC.d⁻¹
SW	99	% reflectance	0.0	%EAC.d⁻¹
W	99	% reflectance	0.0	%EAC.d⁻¹
NW	99	% reflectance	0.0	%EAC.d⁻¹

LOD 1







Report Number	FD/ 17	767		Job Number	34660	ID Number 178543
Site Description	Whatle	y Quai	rry			
Sample	8- Wh	natley (Cross			
Date Received	15/05/2	2020	Sampling Period	16/04/2020	to 14/05/202	0 28 Days
UKAS accredited tests are denoted by an asterisk(*)						
Method ENV/F	D01			Gauge Type	Combined F	risbee deposit and Adh
* Dust mass (mg)		14				
Deposition (mg.m	^{- 2} d ^{- 1})	13				
Detection Limit (m	ng)	0.5	Date Tested	20/05/2020		

Method ENV/FD05

Result Soiling

Date Tested 15/05/2020

Test / Direction	Measured Value *		Reported Result	
Ν	100	% reflectance	0.0	%EAC.d⁻¹
NE	99	% reflectance	0.0	%EAC.d⁻¹
E	99	% reflectance	0.0	%EAC.d⁻¹
SE	100	% reflectance	0.0	%EAC.d⁻¹
S	100	% reflectance	0.0	%EAC.d⁻¹
SW	99	% reflectance	0.0	%EAC.d⁻¹
W	99	% reflectance	0.0	%EAC.d⁻¹
NW	99	% reflectance	0.0	%EAC.d⁻¹

LOD 1

