



OCCUPATIONAL HYGIENE AND ENVIRONMENTAL MONITORING LABORATORY

## **TEST REPORT**

Site:

Whatley Quarry

Client:

Mr J Collis
Hanson Aggregates
Whatley Quarry
Nr Frome
Bath
Somerset
BA11 3LF

Job Number: 27050 Report Number: FD/ 14710 Report Date: 16/07/2018

Method N°. ENV/FD01: The determination of Fugitive Dust Based on BS 872: 2005 Method N°. ENV/FD05: The determination of reflectance values using a smoke stain

reflectometer

UKAS accredited tests are denoted by an asterisk(\*)

SOCOTEC is not UKAS accredited for environmental dust gauge sampling.

The dust samples will be retained at the laboratory for a period of 6 months in case extended analysis is required in future. Liquids associated with dust samples are not normally retained at the laboratory.

Report Comment:

Approved by:

John Perry, Senior Analyst Environmental Laboratory

Direct Dial: 01283 554488



## **TEST REPORT**



Report Number FD/ 14710 Job Number 27050 ID Number 147080

Site Description Whatley Quarry

Sample 4 - The Old School House

Date Received 02/07/2018 Sampling Period 04/06/2018 to 02/07/2018 28 Days

UKAS accredited tests are denoted by an asterisk(\*)

Method ENV/FD01 Gauge Type Combined Frisbee deposit and Adh

\* Dust mass (mg) 4 Deposition (mg.m<sup>-2</sup>d<sup>-1</sup>) 4

Detection Limit (mg) 0.5 Date Tested 11/07/2018

Method ENV/FD05

Result Soiling LOD 1 Date Tested 16/07/2018

Test / Direction	Measured Value *		Reported Result	
N	99	% reflectance	0.0	%EAC.d <sup>-1</sup>
NE	99	% reflectance	0.0	%EAC.d <sup>-1</sup>
E	99	% reflectance	0.0	%EAC.d <sup>-1</sup>
SE	100	% reflectance	0.0	%EAC.d <sup>-1</sup>
S	99	% reflectance	0.0	%EAC.d <sup>-1</sup>
SW	99	% reflectance	0.0	%EAC.d <sup>-1</sup>
W	99	% reflectance	0.0	%EAC.d <sup>-1</sup>
NW	100	% reflectance	0.0	%EAC.d <sup>-1</sup>



## **TEST REPORT**



Report Number FD/ 14710 Job Number 27050 ID Number 147081

Site Description Whatley Quarry
Sample 8 - Whatley Cross

Date Received 02/07/2018 Sampling Period 04/06/2018 to 02/07/2018 28 Days

UKAS accredited tests are denoted by an asterisk(\*)

Method ENV/FD01 Gauge Type Combined Frisbee deposit and Adh

\* Dust mass (mg) 7 Deposition (mg.m $^{-2}$ d $^{-1}$ ) 6

Detection Limit (mg) 0.5 Date Tested 11/07/2018

Method ENV/FD05

Result Soiling LOD 1 Date Tested 16/07/2018

Test / Direction	Measured Value *		Reported Result	
N	99	% reflectance	0.0	%EAC.d <sup>-1</sup>
NE	99	% reflectance	0.0	%EAC.d <sup>-1</sup>
E	98	% reflectance	0.1	%EAC.d <sup>-1</sup>
SE	98	% reflectance	0.1	%EAC.d⁻¹
S	97	% reflectance	0.1	%EAC.d <sup>-1</sup>
SW	97	% reflectance	0.1	%EAC.d <sup>-1</sup>
W	98	% reflectance	0.1	%EAC.d <sup>-1</sup>
NW	99	% reflectance	0.0	%EAC.d⁻¹