



# OCCUPATIONAL HYGIENE AND ENVIRONMENTAL MONITORING LABORATORY TEST REPORT

## Site:

Whatley Quarry

### Client:

Mr J Collis Hanson Aggregates Whatley Quarry Nr Frome Bath Somerset BA11 3LF

### Job Number: 29561

Report Number: FD/ 14950

**Report Date:** 19/09/2018

Method N°. ENV/FD01: The determination of Fugitive Dust Based on BS 872: 2005 Method N°. ENV/FD05: The determination of reflectance values using a smoke stain reflectometer

UKAS accredited tests are denoted by an asterisk(\*)

SOCOTEC is not UKAS accredited for environmental dust gauge sampling.

The dust samples will be retained at the laboratory for a period of 6 months in case extended analysis is required in future. Liquids associated with dust samples are not normally retained at the laboratory.

#### Report Comment:

Approved by:

John Perry, Senior Analyst Environmental Laboratory Direct Dial: 01283 554488



Е

SE

S

SW

W

NW





Report Number Site Description Sample	FD/ 14950 Whatley Qua 4 - The Old S	arry School House	Job Nu	umber 2956	61 ID	Number 152243	
Date Received	05/09/2018	Sampling Peri	od 02/08/	/2018 to C	4/09/2018	33 Days	
UKAS accredited tests are denoted by an asterisk(*)							
Method ENV/FD01 Gauge Type Combined Frisbee deposit and Adh							
* Dust mass (mg) 19 Deposition (mg.m <sup>-2</sup> d <sup>-1</sup> ) 14							
Detection Limit (mg) 0.5 Date Tested 18/09/2018							
Method ENV/FD05							
Result Soiling	LOD	D 1 Date T	ested 18/	09/2018			
Test / Direction	Measured Value *	Units	Reported Result				
Ν	100	% reflectance	0.0	%EAC.d⁻¹			
NE	99	% reflectance	0.0	%EAC.d⁻¹			

0.0 %EAC.d<sup>-1</sup>

0.0 %EAC.d<sup>-1</sup>

0.0 %EAC.d<sup>-1</sup>

0.1 %EAC.d<sup>-1</sup>

0.1 %EAC.d<sup>-1</sup>

0.0 %EAC.d<sup>-1</sup>

99 % reflectance

99 % reflectance

99 % reflectance

98 % reflectance

98 % reflectance

100 % reflectance







Report Number	FD/ 14950		Job Number 2	29561	ID Number 152244	
Site Description	Whatley Quar	у				
Sample	8 - Whatley C	ross				
Date Received	05/09/2018	Sampling Period	02/08/2018 t	o 04/09/201	8 33 Days	
UKAS accredited tests are denoted by an asterisk(*)						
Method ENV/F	D01		Gauge Type	Combined I	Frisbee deposit and Adh	
* Dust mass (mg)	38					
Deposition (mg.m	<sup>- 2</sup> d <sup>- 1</sup> ) 29					
Detection Limit (m	ng) 0.5	Date Tested	18/09/2018			
Method ENV/F	D05					
Result Soiling	LOD		ted 18/09/201	8		

Test / Direction	Measured Value *		Reported Result	
Ν	99	% reflectance	0.0	%EAC.d⁻¹
NE	99	% reflectance	0.0	%EAC.d⁻¹
E	98	% reflectance	0.1	%EAC.d⁻¹
SE	98	% reflectance	0.1	%EAC.d⁻¹
S	99	% reflectance	0.0	%EAC.d⁻¹
SW	97	% reflectance	0.1	%EAC.d⁻¹
W	97	% reflectance	0.1	%EAC.d⁻¹
NW	98	% reflectance	0.1	%EAC.d⁻¹